Page _____ of _____	**ALL ENTRIES MUST BE PRINTED IN INK**	Your Hospital's Logo Here	**YOUR HOSPITAL** City, State	**ALLERGIES**	**PATIENT IDENTIFICATION**

MAR ROUTINE ANALGESIC RECORD

INITIAL ORDER DATE	RENEWAL DATE	MEDICATION, DOSE, FREQUENCY, ROUTE	MILITARY TIME	DATES GIVEN														

SINGLE ORDER / PRE-OPS					ANALGESIC MEDICATION ADMINISTRATION RECORD		
INITIAL	MEDICATIONS		GIVEN		INITIAL	PRN MEDICATION | DOSAGE | FREQUENCY ROUTE OF ADMINISTRATION	

INITIAL	MEDICATIONS	SITE	GIVEN Date / Milit. Time	INIT'L	INITIAL		
ORDER DATE	DOSE RT OF ADMIN				Date Ord. / Exp. Date	DATE	
						TIME	
						SITE	
						INIT'L	

PART OF THE MEDICAL RECORD

COMFORT GOAL:									
DATE	**TIME**	**PAIN LOCATION**	**SEDATION RATING**	**PAIN SCALE**	**PAIN RATING**	**INTERVENTION**	**INITIALS**	**EVALUATION TIME / PAIN #**	**INITIALS**

PAIN SCALE & RECORD OMISSIONS ON REVERSE SIDE OF KARDEX

ROOM #:	PATIENT Last Name:	PATIENT First Name:	Middle	DIAGNOSIS:	PHYSICIAN:

PART OF THE MEDICAL RECORD

PAIN SCALES

A. WONG-BAKER:
(Faces)

0	1	2	3	4	5

B. 0-10 VISUAL:
(Numeric)

0	1	2	3	4	5	6	7	8	9	10

C. VERBAL:

No Hurt | Hurts Little Bit | Hurts Little More | Hurts Even More | Hurts Whole Lot | Worst Pain

WONG-BAKER FACES PAIN SCALE from Wong DL, Hockenberry-Eaton M, Wilson D, Winkelstein ML, Ahmann E, DiVito-Thomas PA, Whaley & Wong: Nursing Care of Infants & Children, 6th ed, St. Louis, MO: Mosby-Year Book Inc., 1999; 1153. Copyrighted by Mosby-Year Book, Inc. Reprinted with Permission.

D. NON-VERBAL:
(FLACC Score)

FACE	**LEGS**	**ACTIVITY**	**CRY**	**CONSOLABILITY**
0 = No particular expression or smile	0 = Normal position, or relaxed	0 = Lying quietly, normal position, moves easily	0 = No cry (awake or asleep)	0 = Content, relaxed
1 = Sporadic grimace / frown, withdrawn, disinterested	1 = Uneasy, restless, tense	1 = Squirming, shifting back & forth, tense	1 = Moans or whimpers, occasional complaint	1 = Reassured by occasional touching, hugging, or "talking to", distractable
2 = Frequent / constant frown, clenched jaw, quivering chin	2 = Kicking, or legs drawn up	2 = Arched, rigid, or jerking	2 = Crying steadily, screams, sobs, frequent complaints	2 = Difficult to console or comfort

INSTRUCTIONS

1. Add FLACC category scores together to calculate FLACC Score
2. Record FLACC Score using the 0-10 VISUAL NUMERIC Scale above.

SEDATION SCALE:

S = NORMAL SLEEP, EASY TO AROUSE, ORIENTED WHEN AWAKENED, APPROPRIATE COGNITIVE BEHAVIOR
1 = WIDE AWAKE - ALERT (OR AT BASELINE), ORIENTED, INITIATES CONVERSATION
2 = DROWSY, EASY TO AROUSE, BUT ORIENTED & DEMONSTRATES APPROPRIATE COGNITIVE BEHAVIOR WHEN AWAKE
3 = DROWSY, SOMEWHAT DIFFICULT TO AROUSE BUT ORIENTED WHEN AWAKE
4 = DIFFICULT TO AROUSE, CONFUSED, NOT ORIENTED
5 = UNAROUSABLE

INTERVENTION:

1 = DISCUSS PAIN MANAGEMENT PLAN WITH PHYSICIAN
2 = PHARMACOLOGICAL (see MED KARDEX)
3 = NON - PHARMACOLOGICAL

a. Position Changed
b. Relaxation Technique
c. Splinting
d. Imagery
e. Music
f. Education
g. Other (describe intervention on PAIN MANAGEMENT Flow Sheet)

DATE	TIME	MEDICATION	REASON FOR OMISSION	INIT'L	SIGNATURE RECORD		
					INIT'L	**SIGNATURE**	**TITLE (Print)**

PART OF THE MEDICAL RECORD